

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24443	707/3-5,7,10,101,102,104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/01 17:32
L2	2	(creat\$3 or generat\$3 or writ\$4) with engine adj file\$1 and (search\$3 or quer\$3) near (form\$1 or template\$1) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:50
L3	2	("6711569").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/01 17:35
L4	0	(creat\$3 or generat\$3 or writ\$4) with engine adj file\$1 and (window\$1 or form\$1 or template\$1) with (scor\$3 or rank\$3 or weight\$3) and (quer\$3 or criteria) with submit\$4 and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:54
L5	0	(creat\$3 or generat\$3 or writ\$4) with engine adj file\$1 and (window\$1 or form\$1 or template\$1) with (scor\$3 or rank\$3 or weight\$3) and (quer\$3 or criteria) with (translat\$3 or convert\$3 or transform\$6) with (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:57
L6	0	(conform\$5 or translat\$3 or convert\$3) with engine adj file\$1 and (window\$1 or form\$1 or template\$1) with (scor\$3 or rank\$3 or weight\$3) and (quer\$3 or criteria) same (translat\$3 or convert\$3 or transform\$6) same (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 17:57
L7	4	(conform\$5 or translat\$3 or convert\$3) and engine adj file\$1 and (window\$1 or form\$1 or template\$1) with (scor\$3 or rank\$3 or weight\$3) and (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:00

## EAST Search History

L8	1	707/205.ccls. and (configur\$3 or translats\$3) with (form\$1 or template\$1) and (window\$1 or form\$1 or template\$1) with (scor\$3 or rank\$3 or weight\$3) and (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:03
L9	0	707/205.ccls. and (configur\$3 or translats\$3) with (window\$1) and (window\$1) with (scor\$3 or rank\$3 or weight\$3) and (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:03
L11	0	709/203,219.ccls. and (engine near file\$1) and (scor\$3 or rank\$3 or weight\$3) with (window\$1 or template\$1 or form\$1) and (translat\$3 or convert\$3 or conform\$6) with (quer\$3 or search\$3) and (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:08
L12	4	(engine near file\$1) and (scor\$3 or rank\$3 or weight\$3) with (window\$1 or template\$1 or form\$1) and (translat\$3 or convert\$3 or conform\$6) with (quer\$3 or search\$3) and (database\$1 or data near base\$1 or repositor\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:08
L13	41	(captur\$3 or obtain\$3) with (form\$1 or template\$1) and (window\$1 or form\$1 or screen\$1) with (scor\$3 or rank\$3 or weight\$3) and (URL\$1 or site\$1) and internet and (convert\$3 or translats\$3 or conform\$5) with (database\$1 or data near base\$1 or repositor\$3) same (search\$3 or quer\$3) and (@ad<"20010724")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 18:27



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Edit an existing query or  
compose a new query in the  
Search Query Display.

Thu, 1 Feb 2007, 7:13:37 PM EST

## Search Query Display

Select a search number (#)  
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

## Recent Search Queries

		Results
<u>#1</u>	( ( locate<in>metadata ) <and> ( window<in>metadata ) )<and> ( query<in>metadata )	0
<u>#2</u>	( ( locate<in>metadata ) <and> ( window<in>metadata ) )<and> ( query<in>metadata )	0
<u>#3</u>	( engine file<in>metadata )	1
<u>#4</u>	( ( configure<in>metadata ) <and> ( form<in>metadata ) )<and> ( --engine file--<in>metadata )	0

Indexed by  
 Inspec®

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved